

## **Hodgkin's Disease**

### **Index**

<b>Title</b>	<b>Page</b>
Incidence of Hodgkin's disease in males (2007-2017)	2
Incidence of Hodgkin's disease in females (2007-2017)	3
Mortality from Hodgkin's disease in males (2007-2017)	4
Mortality from Hodgkin's disease in females (2007-2017)	5

<b>Hodgkin's Disease (ICD-O-3 M965-966)</b>											
<b>Maltese Islands: trends in incidence 2007-2017</b>											
Number of new cases, with age standardised incidence rates, by age and year of cancer registration											
<b>Males</b>											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	1	0	0	1	0	0	0	0	0
15-19	1	2	0	1	0	0	0	0	0	0	2
20-24	1	0	0	1	1	0	0	1	1	2	2
25-29	1	1	0	2	1	0	1	0	0	1	5
30-34	0	0	0	0	1	1	0	2	1	0	3
35-39	0	0	2	0	0	3	0	1	0	0	1
40-44	0	0	1	0	0	1	0	0	1	1	0
45-49	0	0	0	0	2	0	0	0	1	0	2
50-54	2	0	0	1	1	0	0	0	0	1	1
55-59	1	0	0	0	1	1	1	0	1	0	0
60-64	1	0	0	2	1	0	2	0	2	3	1
65-69	0	0	0	0	0	1	0	1	1	0	0
70-74	0	1	2	0	0	0	0	0	0	0	0
75-79	0	0	0	0	0	0	1	1	0	0	0
80-84	0	1	0	0	1	0	0	0	0	2	0
85+	0	0	0	0	0	0	0	0	0	1	0
All Ages	7	5	6	7	9	8	5	6	8	11	17
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	7.96	0.00	0.00	9.04	0.00	0.00	0.00	0.00	0.00
15-19	6.84	13.70	0.00	7.15	0.00	0.00	0.00	0.00	0.00	0.00	16.94
20-24	6.58	0.00	0.00	6.23	6.62	0.00	0.00	6.48	45.86	12.51	12.32
25-29	6.35	6.24	0.00	12.31	6.38	0.00	6.24	0.00	0.00	5.35	25.01
30-34	0.00	0.00	0.00	0.00	6.38	6.34	0.00	12.31	42.31	0.00	15.20
35-39	0.00	0.00	14.69	0.00	0.00	20.03	0.00	6.34	0.00	0.00	5.39
40-44	0.00	0.00	7.98	0.00	0.00	7.67	0.00	0.00	48.63	6.31	0.00
45-49	0.00	0.00	0.00	0.00	14.45	0.00	0.00	0.00	54.83	0.00	13.84
50-54	13.50	0.00	0.00	6.59	6.55	0.00	0.00	0.00	0.00	6.91	7.03
55-59	6.60	0.00	0.00	0.00	6.87	6.75	6.64	0.00	39.23	0.00	0.00
60-64	7.90	0.00	0.00	13.55	6.61	0.00	13.72	0.00	70.14	20.61	6.71
65-69	0.00	0.00	0.00	0.00	0.00	8.03	0.00	6.97	27.57	0.00	0.00
70-74	0.00	14.10	27.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75-79	0.00	0.00	0.00	0.00	0.00	0.00	16.58	15.86	0.00	0.00	0.00
80-84	0.00	33.49	0.00	0.00	31.66	0.00	0.00	0.00	0.00	91.98	0.00
85+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.77	0.00
Crude rate	3.44	2.44	3.06	3.38	4.34	3.83	2.37	2.81	3.70	4.80	7.20
- lower 95% CI	1.51	0.90	1.24	1.48	2.12	1.78	0.87	1.14	1.72	2.53	3.78
- upper 95% CI	7.43	6.05	7.01	7.31	8.57	7.88	5.87	6.45	7.61	8.88	10.62
EASR *	3.12	2.15	2.96	2.93	3.89	3.74	1.85	2.36	3.29	4.50	7.04
- lower 95% CI	2.89	1.96	2.72	2.72	3.63	3.48	1.69	2.16	3.05	4.23	6.69
- upper 95% CI	3.35	2.34	3.20	3.16	4.14	4.00	2.02	2.55	3.52	4.77	7.38
WASR **	2.91	2.18	2.62	2.99	3.31	3.37	1.48	2.00	2.80	3.63	7.20
- lower 95% CI	2.68	1.97	2.40	2.72	3.09	3.12	1.34	1.83	2.60	3.40	6.84
- upper 95% CI	3.13	2.39	2.84	3.23	3.54	3.62	1.82	2.18	3.01	3.85	7.56
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: Malta National Cancer Registry, Department of Health Information, Malta											
Data extracted August 2019											

<b>Hodgkin's Disease (ICD-O-3 M965-966)</b>											
<b>Maltese Islands: trends in incidence 2007-2017</b>											
Number of new cases, with age standardised incidence rates, by age and year of cancer registration											
<b>Females</b>											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	1	0	0	0	0	0
15-19	1	0	0	0	1	0	3	0	2	1	2
20-24	1	1	0	0	0	1	0	2	1	2	2
25-29	1	1	1	3	1	0	1	0	0	1	0
30-34	0	1	1	0	0	0	0	0	0	1	3
35-39	0	0	1	0	0	3	0	1	0	0	0
40-44	0	0	0	0	0	0	0	0	0	0	1
45-49	0	0	0	0	0	0	0	0	0	0	0
50-54	0	0	0	0	1	0	1	1	0	0	0
55-59	0	0	0	1	0	0	0	1	0	0	0
60-64	0	0	0	3	0	0	0	0	1	1	0
65-69	0	0	1	0	0	0	0	0	0	0	1
70-74	0	1	0	1	0	1	0	1	1	0	0
75-79	0	1	0	0	1	1	0	0	1	1	0
80-84	0	0	0	0	0	0	0	0	0	0	0
85+	0	0	1	0	0	0	0	0	1	0	0
All Ages	3	5	5	8	4	7	6	6	7	7	9
<b>Rates per 100,000</b>											
Under 5	0.00	0.00	0.00	0.00	0.000	0.00	9.94	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.000	9.39	0.00	0.00	0.00	0.00	0.00
15-19	7.11	0.00	0.00	0.00	7.786	0.00	24.77	0.00	17.27	8.66	17.83
20-24	7.08	7.07	0.00	0.00	0.000	6.89	0.00	13.94	7.14	13.71	13.68
25-29	6.82	6.69	6.66	19.88	6.820	0.00	6.84	0.00	0.00	5.76	0.00
30-34	0.00	6.95	6.84	0.00	0.000	0.00	0.00	0.00	0.00	5.93	17.05
35-39	0.00	0.00	7.73	0.00	0.000	21.20	0.00	6.81	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	6.44
45-49	0.00	0.00	0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00
50-54	0.00	0.00	0.00	0.00	6.519	0.00	6.69	6.86	0.00	0.00	0.00
55-59	0.00	0.00	0.00	6.93	0.000	0.00	0.00	6.61	0.00	0.00	0.00
60-64	0.00	0.00	0.00	19.61	0.000	0.00	0.00	0.00	6.95	6.86	0.00
65-69	0.00	0.00	10.68	0.00	0.000	0.00	0.00	0.00	0.00	0.00	6.63
70-74	0.00	11.30	0.00	11.00	0.000	11.74	0.00	11.01	9.88	0.00	0.00
75-79	0.00	14.11	0.00	0.00	13.033	12.77	0.00	0.00	12.12	12.22	0.00
80-84	0.00	0.00	0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00
85+	0.00	0.00	26.84	0.00	0.000	0.00	0.00	0.00	19.85	0.00	0.00
Crude rate	1.46	2.42	2.51	3.83	1.91	3.32	2.83	2.81	3.24	3.09	3.88
- lower 95% CI	0.38	0.89	0.92	1.78	0.61	1.46	1.15	1.14	1.42	1.36	1.35
- upper 95% CI	4.65	5.99	6.22	7.87	5.25	7.18	6.49	6.46	7.01	6.68	6.42
EASR *	1.47	2.07	2.18	3.12	1.74	3.23	3.48	2.66	2.79	2.97	4.12
- lower 95% CI	1.30	1.89	1.99	2.90	1.56	2.98	3.19	2.44	2.57	2.75	3.84
- upper 95% CI	1.64	2.26	2.38	3.34	1.91	3.48	3.76	2.87	3.02	3.20	4.39
WASR **	1.75	1.88	1.86	2.87	1.70	3.03	4.30	2.35	2.82	3.09	4.31
- lower 95% CI	1.55	1.70	1.69	2.66	1.52	2.78	3.94	2.15	2.57	2.84	4.00
- upper 95% CI	1.95	2.07	2.03	3.08	1.89	3.28	4.67	2.55	3.07	3.34	4.61
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: Malta National Cancer Registry, Department of Health Information, Malta											
Data extracted August 2019											

<b>Hodgkin's Disease (ICD-O-3 M965-966; ICD-10 C81)</b>											
<b>Residents of the Maltese Islands: trends in mortality 2007-2017</b>											
Number of deaths attributed to Hodgkin's disease, with age standardised mortality rates, by age and year of death											
<b>Males</b>											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	1	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	1	0	0
35-39	0	0	0	0	0	0	0	0	0	0	0
40-44	0	0	0	0	0	0	0	0	0	0	1
45-49	1	0	0	0	0	0	0	0	0	0	0
50-54	0	0	0	0	0	0	0	0	0	0	0
55-59	0	0	0	0	1	1	0	0	0	0	0
60-64	0	0	1	1	0	0	0	0	0	0	0
65-69	0	0	0	0	0	0	0	0	0	1	0
70-74	0	0	0	0	0	1	0	1	0	0	0
75-79	0	0	0	0	0	0	0	1	0	0	0
80-84	0	0	0	0	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	1	0
All Ages	1	0	1	1	1	2	0	3	1	2	1
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.48	0.00	0.0	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.04	0.0	0.00
35-39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	5.97
45-49	6.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
50-54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
55-59	0.00	0.00	0.00	0.00	6.87	6.75	0.00	0.00	0.00	0.0	0.00
60-64	0.00	0.00	6.88	6.77	0.00	0.00	0.00	0.00	0.00	0.0	0.00
65-69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.8	0.00
70-74	0.00	0.00	0.00	0.00	0.00	13.94	0.00	12.75	0.00	0.0	0.00
75-79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.86	0.00	0.0	0.00
80-84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00
85+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.7	0.00
Crude rate	0.49	0.00	0.49	0.48	0.48	0.96	0.00	1.40	0.46	0.87	0.42
- lower 95% CI	0.03	0.00	0.03	0.03	0.03	0.17	0.00	0.36	0.02	0.15	0.02
- upper 95% CI	3.19	0.00	3.16	3.14	3.14	3.86	0.00	4.48	3.00	3.52	2.75
EASR *	0.46	0.00	0.34	0.34	0.41	0.82	0.00	1.15	0.42	0.65	0.42
- lower 95% CI	0.37	0.00	0.28	0.27	0.33	0.71	0.00	1.02	0.34	0.56	0.34
- upper 95% CI	0.55	0.00	0.41	0.41	0.49	0.94	0.00	1.28	0.51	0.74	0.5
WASR **	0.39	0.00	0.28	0.27	0.27	0.55	0.00	0.93	0.36	0.39	0.36
- lower 95% CI	0.32	0.00	0.22	0.22	0.22	0.47	0.00	0.81	0.29	0.34	0.29
- upper 95% CI	0.47	0.00	0.33	0.32	0.33	0.62	0.00	1.05	0.43	0.45	0.43
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: National Mortality Registry, Department of Health Information, Malta											
Data extracted August 2019											

<b>Hodgkin's Disease (ICD-O-3 M965-966; ICD-10 C81)</b>											
<b>Residents of the Maltese Islands: trends in mortality 2007-2017</b>											
Number of deaths attributed to Hodgkin's disease, with age standardised mortality rates, by age and year of death											
<b>Females</b>	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	1	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	0	0	0
35-39	0	0	0	0	0	0	0	0	0	0	0
40-44	0	0	0	0	0	0	0	0	0	0	0
45-49	0	0	0	0	0	0	0	0	0	0	0
50-54	0	0	0	0	1	0	0	0	0	0	0
55-59	0	0	0	0	1	0	0	0	0	0	0
60-64	0	0	0	0	1	1	0	0	1	0	0
65-69	0	0	0	0	1	0	0	0	0	0	1
70-74	0	0	1	0	0	0	1	1	0	1	0
75-79	0	0	1	1	0	0	0	0	0	0	0
80-84	0	0	0	0	0	1	1	0	0	0	0
85+	0	0	1	1	0	0	0	0	1	0	0
All Ages	0	0	3	2	5	2	2	1	2	1	1
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	6.83	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
50-54	0.00	0.00	0.00	0.00	6.52	0.00	0.00	0.00	0.00	0.00	0.00
55-59	0.00	0.00	0.00	0.00	6.89	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.00	0.00	0.00	0.00	6.45	6.58	0.00	0.00	6.95	0.00	0.00
65-69	0.00	0.00	0.00	0.00	8.47	0.00	0.00	0.00	0.00	0.00	6.63
70-74	0.00	0.00	11.14	0.00	0.00	0.00	11.85	11.00	0.00	8.74	0.00
75-79	0.00	0.00	13.64	13.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80-84	0.00	0.00	0.00	0.00	0.00	18.35	17.49	0.00	0.00	0.00	0.00
85+	0.00	0.00	26.84	24.96	0.00	0.00	0.00	0.00	19.83	0.00	0.00
Crude rate	0.00	0.00	1.44	0.96	2.39	0.95	0.94	0.47	0.93	0.44	0.43
- lower 95% CI	0.00	0.00	0.37	0.17	0.88	0.16	0.16	0.02	0.16	0.02	0.02
- upper 95% CI	0.00	0.00	4.6	3.86	5.93	3.83	3.80	3.04	3.74	2.87	2.80
EASR *	0.00	0.00	0.88	0.52	2.01	0.51	0.53	0.33	0.55	0.26	0.27
- lower 95% CI	0.00	0.00	0.78	0.44	1.83	0.44	0.45	0.27	0.47	0.21	0.21
- upper 95% CI	0.00	0.00	0.97	0.59	2.19	0.59	0.61	0.39	0.62	0.31	0.32
WASR **	0.00	0.00	0.49	0.26	1.66	0.35	0.32	0.22	0.38	0.17	0.20
- lower 95% CI	0.00	0.00	0.44	0.22	1.51	0.30	0.27	0.18	0.32	0.14	0.16
- upper 95% CI	0.00	0.00	0.55	0.29	1.81	0.41	0.37	0.26	0.43	0.21	0.24
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: National Mortality Registry, Department of Health Information, Malta											
Data extracted August 2019											