

Stomach Cancers

Index

Title	Page
Incidence of stomach cancers in males (2007-2017)	2
Incidence of stomach cancers in females (2007-2017)	3
Mortality from stomach cancers in males (2007-2017)	4
Mortality from stomach cancers in females (2007-2017)	5

Cancer of the stomach (ICD-O-3 C16)											
Maltese Islands: trends in incidence 2007-2017											
Number of new cases, with age standardised incidence rates, by age and year of cancer registration											
Males											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	1	0	0	0	0	0	0	0	0	0
35-39	0	2	0	0	1	0	1	0	0	0	1
40-44	0	0	1	1	0	0	0	0	0	0	1
45-49	1	1	0	1	2	2	0	1	3	1	0
50-54	0	1	0	2	3	0	0	0	1	1	0
55-59	4	1	3	4	2	2	5	2	0	3	6
60-64	4	4	2	6	4	5	6	0	3	6	8
65-69	2	6	10	6	4	4	8	8	9	7	5
70-74	7	7	8	7	9	6	4	7	4	7	13
75-79	6	6	6	3	7	4	7	2	8	4	5
80-84	6	2	6	2	3	8	5	5	3	9	6
85+	2	7	5	3	3	1	6	7	0	4	4
All Ages	32	38	41	35	38	32	42	32	31	42	49
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	6.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	15.01	0.00	0.00	6.86	0.00	6.48	0.00	0.00	0.00	5.39
40-44	0.00	0.00	7.98	8.11	0.00	0.00	0.00	0.00	0.00	0.00	5.97
45-49	6.57	6.64	0.00	6.99	14.45	15.04	0.00	7.83	164.5	7.27	0.00
50-54	0.00	6.64	0.00	13.18	19.65	0.00	0.00	0.00	48.47	6.91	0.00
55-59	26.42	6.76	20.86	28.16	13.74	13.50	33.20	13.14	0.00	19.19	38.28
60-64	31.60	28.57	13.77	40.64	26.43	33.56	41.17	0.00	105.2	41.22	53.64
65-69	25.20	77.12	120.69	63.97	36.58	32.12	58.11	55.75	248.1	47.66	34.40
70-74	102.6	98.73	108.75	93.02	120.59	83.61	55.79	89.23	134.0	67.81	110.53
75-79	131.7	126.9	123.03	58.84	128.77	69.44	116.0	31.73	247.3	61.81	79.30
80-84	205.3	66.98	199.40	65.55	94.97	247.37	147.3	139.0	78.83	413.8	134.05
85+	116.4	389.3	267.81	150.38	137.87	44.64	259.1	288.6	0.00	151.0	143.11
Crude rate	15.73	18.53	20.88	16.91	18.33	15.32	19.89	14.98	14.34	18.34	20.75
- lower 95% CI	10.94	13.30	15.18	11.96	13.16	10.66	14.52	10.42	9.91	13.38	14.94
- upper 95% CI	22.50	25.72	28.61	23.80	25.44	21.91	27.16	21.42	20.63	25.04	26.56
EASR *	13.56	17.41	17.72	14.39	15.00	11.64	14.89	11.15	10.27	15.03	14.82
- lower 95% CI	13.09	16.85	17.17	13.91	14.52	11.23	14.43	10.76	9.89	14.57	14.40
- upper 95% CI	14.04	17.97	18.27	14.87	15.48	12.05	15.34	11.55	10.64	15.50	15.25
WASR **	8.45	11.27	11.23	9.76	9.83	7.58	9.42	6.91	6.98	9.43	9.78
- lower 95% CI	8.15	10.90	10.87	9.43	9.57	7.30	9.12	6.66	6.72	9.13	9.49
- upper 95% CI	8.75	11.64	11.58	10.09	10.15	7.85	9.71	7.16	7.25	9.72	10.07
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: Malta National Cancer Registry, Department of Health Information,											
Data extracted August 2019											

Cancer of the stomach (ICD-O-3 C16)											
Maltese Islands: trends in incidence 2007-2017											
Number of new cases, with age standardised incidence rates, by age and year of cancer registration											
Females	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
	Under 5	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	1	0	0	0	1	0	0	0
35-39	1	1	0	0	1	1	0	0	0	0	0
40-44	0	0	0	0	0	0	0	0	1	0	0
45-49	0	0	1	0	1	0	2	0	0	0	2
50-54	2	1	1	0	1	1	0	0	1	0	0
55-59	4	4	1	0	0	2	1	0	1	0	0
60-64	0	1	2	3	3	3	4	0	3	1	1
65-69	1	5	3	4	1	5	3	7	3	5	3
70-74	0	3	4	3	1	3	3	2	4	5	3
75-79	7	4	1	2	2	2	3	5	5	5	3
80-84	2	5	3	3	2	5	6	1	3	1	4
85+	3	2	4	0	5	3	5	7	6	1	0
All Ages	20	26	20	16	17	25	27	23	27	18	16
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	6.75	0.00	0.00	0.00	6.60	0.00	0.00	0.00
35-39	8.10	7.93	0.00	0.00	7.23	7.07	0.00	0.00	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.33	0.00	0.00
45-49	0.00	0.00	6.98	0.00	7.39	0.00	15.72	0.00	0.00	0.00	14.86
50-54	13.72	6.77	6.70	0.00	6.52	6.58	0.00	0.00	7.07	0.00	0.00
55-59	26.34	26.98	6.89	0.00	0.00	13.62	6.71	0.00	6.53	0.00	0.00
60-64	0.00	6.80	13.18	19.61	19.36	19.73	26.99	0.00	20.84	6.86	6.75
65-69	11.05	56.41	32.03	38.34	8.47	37.34	20.36	45.92	19.59	32.5	19.89
70-74	0.00	33.91	44.55	32.99	11.25	35.21	35.56	22.01	39.50	45.9	23.11
75-79	102.9	56.45	13.64	26.63	26.07	25.54	37.67	61.46	60.61	61.0	37.91
80-84	42.73	103.8	61.78	60.28	38.29	91.73	104.9	16.78	48.95	15.8	61.27
85+	90.44	57.06	107.35	0.00	117.43	67.69	108.0	145.4	119.0	18.6	0.00
Crude rate	9.72	12.56	10.02	7.65	8.12	11.87	12.72	10.73	0.93	7.95	6.90
- lower 95% CI	6.10	8.38	6.29	4.53	4.88	7.85	8.55	7.00	0.16	4.86	3.52
- upper 95% CI	15.31	18.69	15.79	12.73	13.29	17.80	18.79	16.46	3.74	12.8	10.28
EASR *	6.94	9.00	6.61	5.11	5.20	7.41	7.62	5.81	7.30	5.59	4.24
- lower 95% CI	6.63	8.64	6.31	4.85	4.94	7.11	7.31	5.57	7.01	4.37	4.01
- upper 95% CI	7.25	9.36	6.91	5.37	5.46	7.72	7.92	6.05	7.59	4.80	4.46
WASR **	4.25	5.90	4.39	3.57	3.50	4.96	5.05	3.64	4.71	2.95	2.91
- lower 95% CI	4.05	5.66	4.18	3.38	3.31	4.75	4.84	3.48	4.51	2.81	2.74
- upper 95% CI	4.46	6.15	4.60	3.75	3.68	5.18	5.27	3.80	4.91	3.09	3.07
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: Malta National Cancer Registry, Department of Health Information,											
Data extracted August 2019											

Cancer of the stomach (ICD-10 C16)											
Residents of the Maltese Islands: trends in mortality 2007-2017											
Number of deaths attributed to stomach cancer, with age standardised mortality rates, by age and year of death											
Males											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	0	0	0
35-39	0	0	0	0	1	1	0	0	0	0	1
40-44	0	0	1	0	1	0	0	0	0	0	1
45-49	0	2	0	0	0	2	1	1	0	0	0
50-54	0	0	0	0	1	0	3	0	0	0	0
55-59	2	1	1	3	0	2	1	3	0	0	1
60-64	1	5	2	1	3	2	2	4	0	4	1
65-69	3	2	6	5	8	3	6	3	4	9	5
70-74	5	4	8	6	5	3	6	5	1	6	8
75-79	5	6	7	2	7	4	5	4	4	7	5
80-84	4	6	4	2	4	3	4	4	3	2	4
85+	3	6	5	3	3	5	3	3	5	1	5
All Ages	23	32	34	22	33	25	31	27	17	29	31
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	6.88	6.68	0.00	0.00	0.00	0.00	5.39
40-44	0.00	0.00	7.98	0.00	7.83	0.00	0.00	0.00	0.00	0.00	5.97
45-49	0.00	13.28	0.00	0.00	0.00	15.04	7.73	7.83	0.00	0.00	0.00
50-54	0.00	0.00	0.00	0.00	6.55	0.00	20.03	0.00	0.00	0.00	0.00
55-59	13.21	6.76	6.95	21.12	0.00	13.50	6.64	19.71	0.00	0.00	6.38
60-64	7.90	35.71	13.77	6.77	19.82	13.42	13.72	27.88	0.00	27.48	6.71
65-69	37.79	25.71	72.41	53.31	73.19	24.09	43.58	20.90	27.57	61.27	34.40
70-74	73.31	56.42	108.75	79.73	67.06	41.81	83.67	63.73	11.17	58.12	68.02
75-79	109.77	126.96	143.53	39.22	128.77	69.44	82.89	63.43	61.83	108.1	79.30
80-84	136.89	200.94	132.93	65.55	127.06	92.76	117.7	111.1	78.80	48.34	89.37
85+	174.62	333.70	267.81	150.38	139.21	223.21	129.2	123.4	197.7	37.66	178.89
Crude rate	11.31	15.61	16.53	10.63	15.94	11.97	14.68	12.64	7.86	12.66	13.13
- lower 95% CI	7.34	10.86	11.63	6.83	11.15	7.92	10.15	8.5	4.73	8.64	9.07
- upper 95% CI	17.26	22.32	23.38	16.39	22.66	17.96	21.11	18.67	12.88	18.44	18.88
EASR *	10.21	13.73	14.7	9.07	12.66	9.77	11.41	9.49	5.44	8.59	9.20
- lower 95% CI	9.79	13.24	14.2	8.69	12.22	9.38	11.00	9.12	5.18	8.28	8.87
- upper 95% CI	10.63	14.21	15.2	9.46	13.09	10.16	11.82	9.85	5.70	8.90	9.53
WASR **	6.10	8.34	9.09	5.78	8.16	6.21	7.32	6.08	3.05	5.61	5.73
- lower 95% CI	5.84	8.04	8.78	5.54	7.87	5.96	7.05	5.84	2.90	5.40	5.52
- upper 95% CI	6.36	8.64	9.41	6.03	8.45	6.47	7.59	6.32	3.20	5.82	5.94
* EASR = Age-standardised rates using European Standard Population/ 100,000											
** WASR = Age-standardised rates using World Standard Population/ 100,000											
Source: National Mortality Registry, Department of Health Information, Malta											
Data extracted August 2019											

Cancer of the stomach (ICD-10 C16)											
Residents of the Maltese Islands: trends in mortality 2007-2016											
Number of deaths attributed to stomach cancer, with age standardised mortality rates, by age and year of death											
Females	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	1	0	0	0
35-39	1	1	0	0	1	0	0	0	0	0	0
40-44	0	0	0	0	0	0	0	0	0	1	0
45-49	0	0	0	1	0	0	1	0	0	0	0
50-54	0	0	0	0	0	0	0	0	1	0	0
55-59	0	0	1	0	1	1	1	0	2	0	0
60-64	1	2	3	0	4	1	0	1	1	2	2
65-69	1	1	1	0	1	2	1	2	1	3	3
70-74	1	3	0	1	1	2	3	1	3	4	1
75-79	4	2	0	3	4	4	2	3	2	5	4
80-84	3	5	1	3	2	3	3	3	1	1	2
85+	2	0	4	1	3	4	4	3	6	1	1
All Ages	13	14	10	9	17	17	15	14	17	17	13
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.60	0.00	0.00	0.00
35-39	8.10	7.93	0.00	0.00	7.24	0.00	0.00	0.00	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.75	0.00
45-49	0.00	0.00	0.00	7.23	0.00	0.00	7.86	0.00	0.00	0.00	0.00
50-54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.07	0.00	0.00
55-59	0.00	0.00	6.89	0.00	6.89	6.81	6.71	0.00	13.06	0.00	0.00
60-64	7.49	13.60	19.77	0.00	25.82	6.58	0.00	6.87	6.95	13.7	13.49
65-69	11.05	11.28	10.68	0.00	8.47	14.94	6.79	13.1	6.53	19.5	19.89
70-74	11.48	33.91	0.00	11.00	11.26	23.47	35.5	11.0	29.62	34.9	7.70
75-79	58.80	28.22	0.00	39.94	52.14	51.09	25.1	36.8	24.24	61.0	50.54
80-84	64.09	103.86	20.59	60.28	38.34	55.04	52.4	50.3	16.31	15.7	30.63
85+	60.30	0.00	107.35	24.96	71.02	90.25	86.3	62.2	118.9	18.6	17.57
Crude rate	6.32	6.76	4.82	4.31	8.12	8.07	7.07	6.55	7.88	7.51	5.61
- lower 95% CI	3.51	3.85	2.45	2.10	4.89	4.86	4.11	3.73	4.74	4.52	3.12
- upper 95% CI	11.12	11.66	9.18	8.50	13.31	13.21	11.9	11.2	12.90	12.3	9.86
EASR *	4.15	4.31	3.11	2.49	5.02	4.51	4.18	3.52	4.61	4.55	3.19
- lower 95% CI	3.91	4.07	2.91	2.32	4.78	4.29	3.96	3.33	4.38	4.33	3.02
- upper 95% CI	4.38	4.54	3.31	2.66	5.27	4.73	4.41	3.72	4.84	4.78	3.37
WASR **	2.56	2.84	2.03	1.48	3.29	2.69	2.60	2.22	2.86	3.02	2.04
- lower 95% CI	2.40	2.67	1.89	1.37	3.12	2.55	2.45	2.08	2.71	2.86	1.92
- upper 95% CI	2.72	3.01	2.16	1.59	3.46	2.83	2.75	2.35	3.01	3.18	2.16
* EASR = Age-standardised rates using European Standard Population/ 100,000											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: National Mortality Registry, Department of Health Information, Malta											
Data extracted August 2019											