

Table A: Number of New Cases of Cancer in Malta - 1996, by Age Group and Site/Type: Males

Site	ICD-O	Age group																		Total	
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 +		Age n.s.
LIP	C00											1	1		1	3		1			7
TONGUE NOS	C02											3	1					1			5
GUM	C03														1						1
MOUTH NOS	C06									1		1						1			3
PAROTID GLAND	C07														2						2
TONSIL	C09									1				1							2
NASOPHARYNX	C11									1					2		1				4
OESOPHAGUS	C15												1	4	4						9
STOMACH	C16									2	2	2	3	3	7	6	1	3			29
SMALL INTESTINE	C17												1	1	1						3
COLON	C18						1	1			3	1	8	4	6	6	7	3			40
RECTO-SIGMOID JNCT.	C19										1	3	1	2	1	1		1	1		11
RECTUM	C20										1	1	3	2	2	7		3	4		23
ANUS	C21									1						1	1				3
LIVER	C22										2				1	1	1				5
BILIARY TRACT OTHER & NOS	C24														1						1
PANCREAS	C25										2	2	1	1	2	1	2	1			12
GIT OTHER, ILL-DEFINED	C26														1						1
NASAL CAVITY, MIDDLE EAR	C30											1					1				2
LARYNX	C32								1		1			2	8		1	1	1		15
BRONCHUS, LUNG	C34									1	7	7	10	13	27	16	16	12	2		111
PLEURA, HEART, MEDIASTINUM	C38									1							1				2
BONES, JOINTS, ART. CART. OF LIMBS	C40						1							1							2
BONES, JOINTS, ART. CART. OF OTHER & NOS	C41														1						1

Table A continued

Site	ICD-O	Age group																	Total					
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	Age n.s.			
MELANOMA	M872-879					1	1	2		1	1	1		2	2		1							12
ALL SKIN	C44					1		4	6	12	5	7	10	15	25	25	24	21	12					167
RETROPERITONEUM, PERITONEUM	C48						1									1	1						3	
CONNECTIVE, SUBCUTAN., SOFT TISSUES	C49											1	1		1								3	
BREAST	C50										1	1			1						1		4	
PENIS	C60															1		1					2	
PROSTATE	C61													7	13	13	11	8	5				57	
TESTIS	C62					1	1	1	1														4	
KIDNEY	C64	1							1					2	4	1	3						12	
RENAL PELVIS	C65										1												1	
URETER	C66											1											1	
BLADDER	C67							1	1			4	2	7	14	14	9	3	2				57	
EYE	C69	1																					1	
BRAIN	C71								1	1	2		2	1	2	1	2						12	
THYROID	C73							1	3				1	1				1					7	
ADRENAL	C74	1									1												2	
OTHER ILL-DEFINED	C76										1	1											2	
UNKNOWN PRIMARY SITE	C80							1	1		2	1	4	5	9	4	6	5					38	
HODGKIN'S	M965-966				1				1	1						1							4	
OTHER LYMPHOID	M959, 967-971						1	1	1	5	2	4	5	4	2	5	3	2	1				36	
LEUKAEMIA	M980-994	1								1		2	1	2	2	4	2	2	1				18	
MULTIPLE MYELOMA	M9732											1		1		5			1				8	
LYMPHORETICULAR NEOPLASMS OTHER	M972		1																				1	
ALL SITES		4	1	0	1	2	4	9	16	18	32	40	56	79	126	130	99	68	36	0			721	
ALL SITES MINUS NMS		4	1	0	1	2	4	7	11	11	29	35	46	67	104	106	77	47	27	0			579	

Table B: Number of New Cases of Cancer in Malta - 1996, by Age Group and Site/Type: Females

Site	ICD-O	Age group																	Total									
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	Age n.s.							
TONGUE NOS	C02													1							1							
MOUTH NOS	C06													1							1							
PAROTID GLAND	C07														1			1			2							
TONSIL	C09																			1	1							
NASOPHARYNX	C11														1			1			2							
OESOPHAGUS	C15															1		1	2		4							
STOMACH	C16												1		1	3	6	3	7	2	23							
SMALL INTESTINE	C17														1	2	1			1	5							
COLON	C18													3	1	3	7	3	6	2	2	1	28					
RECTO-SIGMOID JUNCT.	C19														1		2		1		1	5						
RECTUM	C20														2	4		1	1	1	2	3	2	16				
LIVER	C22													1	1				1	1		1	1	6				
BILIARY TRACT OTHER & NOS	C24																1						1	2				
PANCREAS	C25														1	1	4	1	5	1				13				
GIT OTHER, ILL-DEFINED	C26															1								1				
LARYNX	C32																1							1				
BRONCHUS, LUNG	C34																	1	1	1	1	1	4	3		2	1	15
THYMUS	C37																						1		1			2
PLEURA, HEART, MEDIASTINUM	C38																											1
BONES, JOINTS, ART. CART. OF LIMBS	C40																											1
MELANOMA	M872-879																											13
ALL SKIN	C44																											72
CONNECTIVE, SUBCUTAN., SOFT TISSUES	C49																											8
BREAST	C50																											176

Table B continued.

Site	ICD-O	Age group																	Total	
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +
VULVA	C51							1				2		1	2	1	1			
VAGINA	C52										1							1		
CERVIX UTERI	C53						1	1		5	1	1	1							
CORPUS UTERI	C54								1	2	1	7	5	4	4	7	3	2		
UTERUS NOS	C55									1			3							
OVARY	C56					1		2	3	1	3		6	3	4	3	3	4	1	
KIDNEY	C64						1			1	2	2	2	2	4	1		1	1	
BLADDER	C67													1	2	4		2	3	
BRAIN	C71	1		1								1	1		1	1	3		1	
SP. CORD, CRANIAL NERVES, OTHER CNS	C72						1						1							
THYROID	C73					2	3	3	3		2	2	1		1					
UNKNOWN PRIMARY SITE	C80										1	2	1	1	5	5	2	4	2	
HODGKIN'S	M965-966						1													
OTHER LYMPHOID	M959, 967-971								1	1		1	2	1	1	2	2		2	
LEUKAEMIA	M980-994					2	1		1		2				2		3	1		
MULTIPLE MYELOMA	M9732															1	1			
LYMPHORETICULAR NEOPLASMS OTHER	M972	1																		
ALL SITES		2	0	1	2	4	9	12	20	40	49	52	56	53	65	79	52	57	35	1
ALL SITES MINUS NMS		2	0	1	2	4	8	11	20	39	48	50	50	50	62	71	45	49	26	1

82 Table C: Number of New Cases of Cancer in Malta - 1997, by Age Group and Site/Type: Males

Site	ICD-O	Age group																	Age n.s.	Total	
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84			85 +
LIP	C00															2		1	1		4
TONGUE NOS	C02						1							1		1					3
FLOOR OF MOUTH	C04														1						1
PALATE	C05							1													1
MOUTH NOS	C06													1		1	1				3
PAROTID GLAND	C07																	1			1
TONSIL	C09										1	1	1		1	1					5
NASOPHARYNX	C11				1			3			2	1	1	1	1	1					10
PYRIFORM SINUS	C12															1					1
OESOPHAGUS	C15														1		1	3			5
STOMACH	C16										4	1	6	8	7	3	6	3			38
SMALL INTESTINE	C17														1		1				2
COLON	C18							2	1		1	4	3	3	5	6	15	1	2		43
RECTO-SIGMOID JUNCT.	C19											1	3		1						5
RECTUM	C20					1							4	2	1	4		1	1		14
ANUS	C21									1						1		1			3
LIVER	C22											1	1	1	1	1					5
GALL BLADDER	C23														1						1
BILIARY TRACT OTHER & NOS	C24								1												1
PANCREAS	C25										1	4	1	7	4	3					20
GIT OTHER, ILL-DEFINED	C26														1						1
NASAL CAVITY, MIDDLE EAR	C30													1		1					2
LARYNX	C32				1					2	1	2	1	6	2	1	1	1			18
BRONCHUS, LUNG	C34								2		2	7	5	10	20	20	17	4	4		91
PLEURA, HEART, MEDIASTINUM	C38									1	1					1		2	1		6

Table C continued.

Site	ICD-O	Age group																	Total		
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	Age n.s.
BONES, JOINTS, ART. CART. OF LIMBS	C40		1										1		1						3
MELANOMA	M872-879						1				2	1	2	2	1	1	1				11
ALL SKIN	C44						1		4	5	8	19	16	17	28	29	24	18	8	1	178
RETROPERITONEUM, PERITONEUM	C48														1						1
CONNECTIVE, SUBCUTAN., SOFT TISSUES	C49				1					1		1							1		4
BREAST	C50													1	1				1		3
PENIS	C60							1		1		1	1	1						1	6
PROSTATE	C61											2	2	5	12	15	19	15	10		80
TESTIS	C62						2		2	1						1					6
KIDNEY	C64							1		1		4	2		2		3		1		14
RENAL PELVIS	C65										1	1									2
BLADDER	C67								2	1	1	3	5	7	13	12	9	6			59
EYE	C69						1												1		2
BRAIN	C71								2	2		3	1	2				2			12
THYROID	C73				1					1		1	1		1						5
ADRENAL	C74		1												1						2
OTHER & ILL-DEFINED	C76										1			1				1	1		4
UNKNOWN PRIMARY SITE	C80	2							1			3		3	5	6	3	2	5		30
HODGKIN'S	M965-966						1	2							1						4
OTHER LYMPHOID	M959, 967-971						2	2	1	1	3	1	2	5	6	6	1	2	1		33
LEUKAEMIA	M980-994	2			1	1					2		2	2	4	3	3	2	2		24
OTHER LYMPHORETICULAR NEOPLASMS	M972	1			1																2
MULTIPLE MYELOMA	M9732								1		1	1	2	1	2	3				1	12
ALL SITES		5	2	0	4	3	8	10	13	17	26	56	60	69	132	119	115	70	50	2	761
ALL SITES MINUS NMS		5	2	0	4	3	8	10	9	12	20	39	46	56	108	96	93	55	42	1	609

Table D: Number of New Cases of Cancer in Malta - 1997, by Age Group and Site/Type: Females

Site	ICD-O	Age group																	Total				
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	Age n.s.		
GUM	C03															1							1
PAROTID GLAND	C07																		1				1
MAJOR SALIVARY GLANDS OTHER & NOS	C08							1											1				2
NASOPHARYNX	C11							1											1				2
OESOPHAGUS	C15										1				2		1		1				5
STOMACH	C16										2			1	2	2	6		4				17
SMALL INTESTINE	C17												1										1
COLON	C18									1	4	5	2	6	9	6	9	5	3				50
RECTO-SIGMOID JUNCT.	C19												2			1							3
RECTUM	C20								2	1			3	2		2	4	3	2				19
ANUS	C21													2			1						3
LIVER	C22										1					1	1	1					4
GALL BLADDER	C23													1			1		1				3
BILIARY TRACT OTHER & NOS	C24												1			1							2
PANCREAS	C25											1		3	1	1	4	2	1				13
GIT OTHER, ILL-DEFINED	C26								1							1							2
NASAL CAVITY, MIDDLE EAR	C30									1													1
LARYNX	C32																				1		1
BRONCHUS, LUNG	C34								1	2		3		2	2	3	2	1	1				17
THYMUS	C37							1															1
PLEURA, HEART, MEDIASTINUM	C38															1							1
BONES, JOINTS, ART. CART. OF OTHER & NOS	C41				1																		1
MELANOMA	M872-879					2	1		3	2	1	2		2	2	1							16
ALL SKIN	C44				1	2	5	2	8	7	11	14	7	11	14	22	17	7	9	1			138
CONNECTIVE, SUBCUTAN., SOFT TISSUES	C49																	1					1

Table D continued.

Site	ICD-O	Age group																	Total			
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	Age n.s.	
BREAST	C50							2	12	13	19	31	23	25	19	18	21	15	8		206	
VULVA	C51													3	1	2	2	1		9		
VAGINA	C52																1		1			
CERVIX UTERI	C53							1		1		3		2	1	2		10				
CORPUS UTERI	C54				1				1	2	6	6	5	4	6	3	5	1		40		
UTERUS NOS	C55								1			1	1		1		4					
OVARY	C56				1	1			1	5	2	2	2	2	3	1	2	2		24		
FEMALE GENITAL ORGANS OTHER & NOS	C57																	1		1		
KIDNEY	C64	1		1							3	1	1	1	1	1		10				
RENAL PELVIS	C65									1		1		2								
BLADDER	C67												1	2	2	1	3	3	4		16	
EYE	C69								1		1										1	
BRAIN	C71	1								1	1		2		1	2	1		9			
THYROID	C73					1	2	3	4	4	2	1	1	1		1	1		21			
ADRENAL	C74	1																			1	
OTHER & ILL-DEFINED	C76																		1		1	
UNKNOWN PRIMARY SITE	C80									1		3	4	1	6	5	5	3	3		31	
HODGKIN'S	M965-966				1		1	1		1					1			1			6	
OTHER LYMPHOID	M969, 967-971								2	2	2	3	2	2	5	3	3		2		26	
LEUKAEMIA	M980-994		1							1				2	2	3	2	1	3	1		16
MULTIPLE MYELOMA	M9732											2			1	1	6	5	3		18	
ALL SITES		3	1	1	2	5	7	10	30	42	55	83	57	72	81	90	89	58	46	2		734
ALL SITES MINUS NMS		3	1	1	2	5	4	8	25	37	47	71	50	63	69	70	75	51	37	1		620

Table E: Number of Deaths in Malta attributed to Cancer - 1996, by Age Group and Site/Type: Males

Site	ICD-10	Age group																	Total		
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	
LIP	C00																	1		1	
TONGUE NOS	C02																1		1	2	
MOUTH NOS	C06															1			1		
PAROTID GLAND	C07									1									1		
OROPHARYNX	C10												1						1		
NASOPHARYNX	C11								3				2	1	1	1			8		
PHARYNX OTHER & ILL-DEFINED	C14															1	1		2		
OESOPHAGUS	C15													2	2	2	2	2	1	11	
STOMACH	C16												1	2	7	7	13	4	3	37	
SMALL INTESTINE	C17												1						1		
COLON	C18										1	1	2	5	3	4	3	2	3	24	
RECTO-SIGMOID JNCT.	C19													1		1			2		
RECTUM	C20										2				3		2		1	8	
LIVER	C22										1					1	1	1	4		
GALL BLADDER	C23															1			1		
BILIARY TRACT OTHER & NOS	C24																		1		
PANCREAS	C25										1		2		1	1	5	1	3	2	16
GIT OTHER, ILL-DEFINED	C26															1			1		
LARYNX	C32													3		1	3		3	10	
BRONCHUS, LUNG	C34											4	7	11	13	32	21	21	10	6	125
BONES, JOINTS, ART. CART. OF OTHER & NOS	C41								1							1		1	3		
MELANOMA, SKIN	C43																1		1		
OTHER MALIGNANT NEOPLASMS OF SKIN	C44													1					1		
MESOTHELIOMA	C45											1					1		2		

Table E continued.

Site	ICD-10	Age group																	Total		
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	
RETROPERITONEUM, PERITONEUM	C48															1				1	
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49		1		1				1				1								4
BREAST	C50													1				1	1		3
PENIS	C60																	1	1	1	3
PROSTATE	C61													1	5	11	8	5	10		40
TESTIS	C62																		1		1
KIDNEY	C64								2			1		3	4	2					12
BLADDER	C67													1	3	3	1	3	2		13
BRAIN	C71			1				1	1		1		1	3			1	1			10
OTHER & ILL-DEFINED	C76								1							1					2
UNKNOWN PRIMARY SITE	C80	1									1	2	2		8	2	3	2	1		22
HODGKIN'S	C81								1												1
DIFFUSE NON-HODGKIN'S LYMPHOMA	C83									3											3
PERIPHERAL & CUTANEOUS T-CELL LYMPHOMA	C84															1					1
NON-HODGKIN'S LYMPHOMA OTHER & NOS	C85								1				1	1	2		4	2	1		12
M. MYELOMA & MALIGNANT PLASMOCYTOMA	C90														1	2	1		1		5
LYMPHOID LEUKAEMIA	C91											1					1				2
MYELOID LEUKAEMIA	C92														2	3	1				6
LEUKAEMIA NOS	C95																			1	1
TOTAL		1	1	1	1	0	0	2	7	7	12	13	28	39	75	76	67	43	33		406

Source: National Mortality Registry, Department of Health Information.

Table F: Number of Deaths in Malta attributed to Cancer - 1996, by Age Group and Site/Type: Females

Site	ICD-10	Age group																	Total		
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +	
FLOOR OF MOUTH	C04																1			1	
PAROTID GLAND	C07																1			1	
NASOPHARYNX	C11																1			1	
PHARYNX OTHER & ILL-DEFINED	C14																1			1	
OESOPHAGUS	C15																	2		2	
STOMACH	C16									1	2	1	1	1	2	6	1	2	3	20	
COLON	C18									1	1	1	1	4	2	4	6	4	2	26	
RECTUM	C20									1	1		1	1			1	1	3	10	
LIVER	C22									1			1			1	1		1	5	
PANCREAS	C25											1	2	1	2	3	4		3	16	
ACCESORY SINUSES	C31															1				1	
LARYNX	C32												1							1	
BRONCHUS, LUNG	C34									3			1	1	2	5	3	3	1	2	21
THYMUS	C37																	1			1
MELANOMA, SKIN	C43													1							1
SKIN OTHER	C44																		1	1	2
RETROPERITONEUM, PERITONEUM	C48															1				1	2
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49												1	1					1		3
BREAST	C50										2	3	6	7	10	19	12	8	8	12	87
VULVA	C51																1			2	3
VAGINA	C52																		1		1
CERVIX UTERI	C53								1	1			1			1			1		6
CORPUS UTERI	C54													1	1	2		1		1	6

Table F continued.

Site	ICD-10	Age group																	Total	
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +
UTERUS NOS	C55													1	1	1	2	4	1	10
OVARY	C56									2	3			7	4	5	2	4	1	28
KIDNEY	C64											1				1				2
BLADDER	C67															1	1	2		4
BRAIN	C71									2	2	1	1	1			1			8
ADRENAL	C74	1																		1
UNKNOWN PRIMARY SITE	C80							1			1		1	1	2	4	3	4		17
HODGKIN'S	C81													1		1				2
DIFFUSE NON-HODGKIN'S LYMPHOMA	C83																1			1
NON-HODGKIN'S LYMPHOMA OTHER & NOS	C85													1	1	4	1	1	1	9
MALIGNANT IMMUNOPROLIFERATIVE DISEASES	C88														1					1
LYMPHOID LEUKAEMIA	C91																		1	1
MYELOID LEUKAEMIA	C92											1		1	1	1	1			5
TOTAL		1	0	0	0	0	0	2	3	8	13	20	20	33	48	54	33	40	32	307

Source: National Mortality Registry, Department of Health Information.

Table G continued.

Site	ICD-10	Age group																	Total	
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84		85 +
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49										2		1		1	1	2			7
PROSTATE	C61													1	9	1	4	5	6	26
KIDNEY	C64													1	2	2	2		1	8
RENAL PELVIS	C65																	1		1
BLADDER	C67													1	1	4	8	10	4	28
BRAIN	C71					1					1		2	2	1	1				8
THYROID	C73											1				1		1		3
ADRENAL	C74											1								1
OTHER & ILL-DEFINED	C76															1			1	2
UNKNOWN PRIMARY SITE	C80							1				1	3	2	4	7	3	6	2	31
HODGKIN'S	C81						1										1			2
DIFFUSE NON-HODGKIN'S LYMPHOMA	C83										1									1
NON-HODGKIN'S LYMPHOMA OTHER & NOS	C85											1	1	1	1	2	2	2		10
M. MYELOMA & MALIGNANT PLASMOCYTOMA	C90													1	1	1		3		6
LYMPHOID LEUKAEMIA	C91	1		1	1	2						1		1			1	1	1	10
MYELOID LEUKAEMIA	C92													1		1			1	4
LEUKAEMIA NOS	C95			1															1	2
TOTAL		1	0	2	1	3	2	3	1	5	14	26	24	21	70	60	70	45	40	388

Source: National Mortality Registry, Department of Health Information.

Table H: Number of Deaths in Malta attributed to Cancer - 1997, by Age Group and Site/Type: Females

Site	ICD-10	Age group																		Total
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 +	
MOUTH NOS	C06															1				1
NASOPHARYNX	C11														1					1
OESOPHAGUS	C15														2	1		1	1	5
STOMACH	C16										1		1	1	3	4	2	3	15	
COLON	C18									1	2	1	2	3	5	1	6	5	26	
RECTUM	C20										1		4		1	2			8	
LIVER	C22										1				1	1		1	4	
GALL BLADDER	C23																	1	1	
BILIARY TRACT OTHER & NOS	C24												1						1	
PANCREAS	C25							1				1		2	5	4	4	3	23	
LARYNX	C32														1		1		2	
BRONCHUS, LUNG	C34								1			3	1	1	2	2		2	13	
MELANOMA	C43							1			1		1						3	
SKIN OTHER	C44																		1	
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49									1	1		1					2	5	
BREAST	C50									1	11	8	5	4	9	5	13	5	70	
VULVA	C51														1	1			2	
CERVIX UTERI	C53							1	1	1	1	1	2	1			1		9	
CORPUS UTERI	C54														1	4	1	1	7	
UTERUS NOS	C55															3	1	1	5	

Table H continued.

Site	ICD-10	Age group																		Total
		0 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 +	
OVARY	C56								1		2	1	2	2	1	3	1	1	1	15
FEMALE GENITAL ORGANS OTHER & NOS	C57																		1	1
KIDNEY	C64	1											1	1	1	1			1	6
RENAL PELVIS	C65																1			1
BLADDER	C67													1	1	2	3		1	8
BRAIN	C71	1						1		1		2		1	1					7
THYROID	C73														1					1
OTHER & ILL-DEFINED	C76																	2		2
UNKNOWN PRIMARY SITE	C80								3	1	3	1	5	4	4	4	2	1		28
HODGKIN'S	C81														1					1
NON-HODGKIN'S LYMPHOMA OTHER & NOS	C85											1	2	1	1	1		2	2	10
LEUKAEMIA	C90											1			1	1	3	1		7
LYMPHOID LEUKAEMIA	C91															1	1			2
MYELOID LEUKAEMIA	C92														1	2				3
LEUKAEMIA NOS	C95																		1	1
TOTAL		2	0	0	0	0	0	3	4	6	19	24	20	25	39	47	42	31	33	295

Source: National Mortality Registry, Department of Health Information.

Table I: Number of cases, percentage of incident cases, age-standardised rates and cumulative risk (0-74 years) by site in 1996, Males

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
ALL SITES		721	100	390.12	297.58	438.88	35.57	3
ALL SITES MINUS NMS		579	80.31	313.29	241.66	352.89	29.37	3
ALL SKIN	C44	167	23.16	90.36	66.84	100.81	7.21	14
BRONCHUS, LUNG	C34	111	15.40	60.06	45.65	67.65	5.68	18
COLORECTAL	C18-20	74	10.26	40.04	30.88	46.15	3.73	27
PROSTATE	C61	57	7.91	30.84	22.31	35.29	2.72	37
BLADDER	C67	57	7.91	30.84	23.51	34.92	3.26	31
COLON	C18	40	5.55	21.64	16.64	24.39	2	50
UNKNOWN PRIMARY SITE	C80	38	5.27	20.56	15.55	22.93	1084	54
OTHER LYMPHOID	M959, 967-971	36	4.99	19.48	15.36	21.43	1.72	58
STOMACH	C16	29	4.02	15.69	11.58	18.03	1.37	73
RECTUM	C20	23	3.19	12.44	9.43	14.81	1.2	83
LEUKAEMIA	M980-994	18	2.50	9.74	7.78	11.03	0.89	113
LARYNX	C32	15	2.08	8.12	6.68	9.35	0.84	119
KIDNEY	C64	12	1.66	6.49	5.55	7.27	0.62	162
PANCREAS	C25	12	1.66	6.49	4.86	7.62	0.54	185
MELANOMA	M872-879	12	1.66	6.49	5.7	6.88	0.56	180
BRAIN	C71	12	1.66	6.49	5.02	6.99	0.57	174
RECTO-SIGMOID JUNCT.	C19	11	1.53	5.95	9.81	6.95	0.53	188
OESOPHAGUS	C15	9	1.25	4.87	3.94	5.46	0.76	131
MULTIPLE MYELOMA	M9732	8	1.11	4.33	3.27	4.94	0.58	173
LIP	C00	7	0.97	3.79	2.67	4.53	0.22	458
THYROID	C73	7	0.97	3.79	2.94	3.86	0.26	379
TONGUE NOS	C02	5	0.69	2.71	2.22	3.34	0.24	411
LIVER	C22	5	0.69	2.71	2.04	3.03	0.26	381
NASOPHARYNX	C11	4	0.55	2.16	1.43	2.15	0.22	452

Table I continued.

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
BREAST	C50	4	0.55	2.16	1.75	2.58	0.16	634
TESTIS	C62	4	0.55	2.16	2.09	2.08	0.15	672
HODGKIN'S	M965-966	4	0.55	2.16	1.79	1.98	0.19	512
MOUTH NOS	C06	3	0.42	1.62	1.15	1.73	0.09	1079
SMALL INTESTINE	C17	3	0.42	1.62	1.38	1.86	0.24	418
ANUS	C21	3	0.42	1.62	1.09	1.64	0.13	775
RETROPERITONEUM, PERITONEUM	C48	3	0.42	1.62	1.33	1.73	0.14	739
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49	3	0.42	1.62	1.37	1.93	0.22	458
PAROTID GLAND	C07	2	0.28	1.08	0.75	1.13	0.19	532
TONSIL	C09	2	0.28	1.08	0.88	1.11	0.11	882
NASAL CAVITY, MIDDLE EAR	C30	2	0.28	1.08	0.77	1.3	0.06	1687
PLEURA, HEART, MEDIASTINUM	C38	2	0.28	1.08	0.71	1.08	0.04	2843
BONES, JOINTS, ART. CART. OF LIMBS	C40	2	0.28	1.08	1.18	1.23	0.11	937
PENIS	C60	2	0.28	1.08	0.65	1.11	0.09	1065
ADRENAL	C74	2	0.28	1.08	1.37	1.24	0.08	1203
OTHER ILL-DEFINED	C76	2	0.28	1.08	0.85	1.09	0.08	1284
GUM	C03	1	0.14	0.54	0.38	0.56	0.09	1065
BILIARY TRACT OTHER & NOS	C24	1	0.14	0.54	0.48	0.64	0.08	1251
GIT OTHER, ILL-DEFINED	C26	1	0.14	0.54	0.48	0.64	0.08	1251
BONES, JOINTS, ART. CART. OF OTHER & NOS	C41	1	0.14	0.54	0.48	0.64	0.08	1251
RENAL PELVIS	C65	1	0.14	0.54	0.4	0.47	0.03	2992
URETER	C66	1	0.14	0.54	0.47	0.71	0.06	1687
EYE	C69	1	0.14	0.54	0.93	0.62	0.04	2582

¹ per 100,000 population² World age-standardised rate³ European age-standardised rate⁴ Cumulative rate percent (0 - 74 years)⁵ Lifetime risk prior to 75 years

Table J: Number of cases, percentage of incident cases, age-standardised rates and cumulative risk (0-74 years) by site in 1996, Females

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
ALL SITES		589	100.00	312.92	209.79	291.57	22.92	4
ALL SITES MINUS HMS		539	91.51	286.35	194.67	267.91	21.42	5
BREAST	C50	176	29.88	93.5	64.75	88.6	7.32	14
ALL SKIN	C44	72	12.22	38.25	23.8	34.82	2.36	42
COLORECTAL	C18-20	49	8.32	26.03	16.58	23.81	1.95	51
CORPUS UTERI	C54	36	6.11	19.13	13.09	18.6	1.68	59
OVARY	C56	34	5.77	18.06	12.27	16.95	1.31	76
COLON	C18	28	4.75	14.87	9.83	13.86	1.31	76
STOMACH	C16	23	3.90	12.21	6.06	9.9	0.72	138
UNKNOWN PRIMARY SITE	C80	23	3.90	12.22	7.04	10.71	0.91	110
KIDNEY	C64	17	2.89	9.03	6.72	8.87	0.77	129
THYROID	C73	17	2.89	9.03	8.47	9.31	0.7	143
RECTUM	C20	16	2.72	8.5	5.02	7.62	0.43	234
BRONCHUS, LUNG	C34	15	2.55	7.97	5.16	7.32	0.68	148
PANCREAS	C25	13	2.21	6.91	4.59	6.44	0.74	135
MELANOMA	M872-879	13	2.21	6.91	5.43	6.85	0.56	178
OTHER LYMPHOID	M959, 967-971	13	2.21	6.91	4.41	6.56	0.48	207
BLADDER	C67	12	2.04	6.38	3.37	5.33	0.47	212
LEUKAEMIA	M980-994	12	2.04	6.38	4.84	5.78	0.35	287
CERVIX UTERI	C53	10	1.70	5.31	4.6	5.4	0.39	254
BRAIN	C71	10	1.70	5.31	4.05	5.11	0.31	323
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49	8	1.36	4.25	2.43	3.53	0.16	643
VULVA	C51	8	1.36	4.25	2.62	3.93	0.35	286
LIVER	C22	6	1.02	3.19	1.91	2.72	0.21	484
SMALL INTESTINE	C17	5	0.85	2.66	1.9	2.68	0.23	444
RECTO-SIGMOID JUNCT.	C19	5	0.85	2.66	1.73	2.33	0.21	466

Table J continued.

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
UTERUS NOS	C55	4	0.68	2.13	1.51	2.22	0.14	700
OESOPHAGUS	C15	4	0.68	2.12	0.94	1.64	0.06	1582
PAROTID GLAND	C07	2	0.34	1.06	0.65	1.08	0.05	1873
NASOPHARYNX	C11	2	0.34	1.06	0.65	0.98	0.05	1845
BILIARY TRACT OTHER & NOS	C24	2	0.34	1.06	0.65	1.09	0.05	1873
THYMUS	C37	2	0.34	1.06	0.6	0.94	0.06	1582
VAGINA	C52	2	0.34	1.06	0.6	0.94	0.04	2342
SP. CORD, CRANIAL NERVES, OTHER CNS	C72	2	0.34	1.06	1.13	1.26	0.1	1027
MULTIPLE MYELOMA	M9732	2	0.34	1.06	0.51	0.87	0.07	1377
TONGUE NOS	C02	1	0.17	0.53	0.4	0.47	0.03	2995
MOUTH NOS	C06	1	0.17	0.53	0.4	0.47	0.03	2995
TONSIL	C09	1	0.17	0.53	0.22	0.45	0	-
GIT OTHER, ILL-DEFINED	C26	1	0.17	0.53	0.4	0.47	0.03	2995
LARYNX	C32	1	0.17	0.53	0.43	0.64	0.05	1873
PLEURA, HEART, MEDIASTINUM	C38	1	0.17	0.53	0.42	0.48	0.03	2889
BONES, JOINTS, ART. CART. OF LIMBS	C40	1	0.17	0.53	0.4	0.47	0.03	2995
HODGKIN'S	M965-966	1	0.17	0.53	0.7	0.62	0.04	2272

¹ per 100,000 population

⁴ Cumulative rate percent (0 - 74 years)

² World age-standardised rate

⁵ Lifetime risk prior to 75 years

³ European age-standardised rate

Table K: Number of cases, percentage of incident cases, age-standardised rates and cumulative risk (0-74 years) by site in 1997, Males

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
ALL SITES		761	100.00	409.16	308.2	455.95	34.86	3
ALL SITES MINUS HMS		609	80.03	327.43	248.22	365.57	27.97	4
ALL SKIN	C44	178	23.39	95.7	70.72	105.59	8.33	12
BRONCHUS, LUNG	C34	91	11.96	48.93	36.1	54.16	4.78	21
PROSTATE	C61	80	10.51	43.01	28.9	48.38	2.85	35
COLORECTAL	C18-20	62	8.15	33.33	24.76	37.66	2.8	28
BLADDER	C67	59	7.75	31.7	21.96	35.39	2.4	42
COLON	C18	43	5.65	23.12	16.08	25.16	1.63	61
STOMACH	C16	38	4.99	20.43	15.16	23.05	1.88	53
OTHER LYMPHOID	M959, 967-971	33	4.34	17.74	14.55	19.46	1.84	54
UNKNOWN PRIMARY SITE	C80	30	3.94	16.13	13	18.62	1.37	73
LEUKAEMIA	M980-994	24	3.15	12.9	11.16	14.58	1.07	94
PANCREAS	C25	20	2.63	10.75	8.49	12.42	1.27	78
LARYNX	C32	18	2.37	9.68	7.81	10.93	0.99	101
KIDNEY	C64	15	1.97	8.06	6.03	8.36	0.55	183
RECTUM	C20	14	1.84	7.53	6.32	9.07	0.87	115
BRAIN	C71	12	1.58	6.45	5.14	7.16	0.55	183
MULTIPLE MYELOMA	M9732	12	1.58	6.45	4.73	6.97	0.53	190
MELANOMA	M872-879	11	1.45	5.91	4.99	6.56	0.57	175
NASOPHARYNX	C11	10	1.31	5.38	4.43	5.6	0.51	195
TESTIS	C62	6	0.79	3.22	2.95	3.17	0.28	358
PLEURA, HEART, MEDIASTINUM	C38	6	0.79	3.22	2.25	3.5	0.15	678
PENIS	C60	6	0.79	3.23	2.11	3.81	0.24	418
RECTO-SIGMOID JUNCT.	C19	5	0.66	2.69	2.36	3.43	0.31	328
TONSIL	C09	5	0.66	2.69	2.14	2.96	0.31	326
OESOPHAGUS	C15	5	0.66	2.69	1.59	2.81	0.06	1586

Table K continued.

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
LIVER	C22	5	0.66	2.69	2.12	3.1	0.3	337
THYROID	C73	5	0.66	2.69	2.39	2.88	0.25	402
LIP	C00	4	0.53	2.15	1.43	2.49	0.18	540
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49	4	0.53	2.15	1.93	2.53	0.13	769
OTHER ILL-DEFINED	C76	4	0.53	2.15	1.55	3.26	0.12	848
HODGKIN'S	M965-966	4	0.53	2.15	2.1	2.34	0.2	498
TONGUE NOS	C02	3	0.39	1.61	1.44	1.75	0.1	955
MOUTH NOS	C06	3	0.39	1.61	1.14	1.72	0.16	643
ANUS	C21	3	0.39	1.61	1.05	1.58	0.13	791
BONES, JOINTS, ART. CART. OF LIMBS	C40	3	0.39	1.61	1.68	1.87	0.18	567
BREAST	C50	3	0.39	1.61	1.12	1.73	0.17	583
SMALL INTESTINE	C17	2	0.26	1.08	0.74	1.17	0.08	1268
NASAL CAVITY, MIDDLE EAR	C30	2	0.26	1.08	0.87	1.19	0.16	643
RENAL PELVIS	C65	2	0.26	1.08	0.8	1.02	0.07	1371
EYE	C69	2	0.26	1.08	0.76	1.11	0.04	2490
ADRENAL	C74	2	0.26	1.08	1.18	1.12	0.11	877
FLOOR OF MOUTH	C04	1	0.13	0.54	0.47	0.63	0.08	1268
PALATE	C05	1	0.13	0.54	0.48	0.56	0.04	2490
PAROTID GLAND	C07	1	0.13	0.54	0.27	0.55	0	-
PYRIFORM SINUS	C12	1	0.13	0.54	0.37	0.56	0.09	1081
GALL BLADDER	C23	1	0.13	0.54	0.47	0.63	0.08	1268
BILIARY TRACT OTHER & NOS	C24	1	0.13	0.54	0.42	0.49	0.03	2881
GIT OTHER, ILL-DEFINED	C26	1	0.13	0.54	0.47	0.63	0.08	1268
RETROPERITONEUM, PERITONEUM	C48	1	0.13	0.54	0.47	0.63	0.08	1268

¹ per 100,000 population⁴ Cumulative rate percent (0 - 74 years)² World age-standardised rate⁵ Lifetime risk prior to 75 years³ European age-standardised rate

Table L: Number of cases, percentage of incident cases, age-standardised rates and cumulative risk (0-74 years) by site in 1997, Females

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
ALL SITES		734	100.00	387.86	253.59	354.09	27.28	4
ALL SITES MINUS NMS		620	84.47	327.62	215	299.66	22.94	4
BREAST	C50	206	28.07	108.85	72.86	101.98	7.89	13
ALL SKIN	C44	138	18.80	72.92	48.75	66.32	5.28	19
COLORECTAL	C18-20	72	9.81	38.05	22.73	33.88	2.49	40
COLON	C18	50	6.81	26.42	15.76	23.26	1.78	56
CORPUS UTERI	C54	41	5.59	21.67	15.22	20.56	1.77	56
UNKNOWN PRIMARY SITE	C80	31	4.22	16.38	9.58	14.69	1.17	87
OTHER LYMPHOID	M959, 967-971	26	3.54	13.74	9.14	12.73	1.07	94
OVARY	C56	25	3.41	13.21	9.01	12.06	1.01	101
THYROID	C73	21	2.86	11.1	8.71	10.69	0.76	131
RECTUM	C20	19	2.59	10.04	5.78	8.9	0.53	190
MULTIPLE MYELOMA	M9732	18	2.45	9.52	4.08	7.32	0.21	479
STOMACH	C16	17	2.32	8.93	4.52	7.49	0.4	253
BRONCHUS, LUNG	C34	17	2.32	8.93	5.65	7.99	0.67	150
MELANOMA	M872-879	16	2.18	8.45	7.33	8.61	0.67	145
BLADDER	C67	16	2.18	8.45	4.27	7.04	0.36	279
LEUKAEMIA	M980-994	16	2.18	8.45	5.11	7.17	0.52	193
PANCREAS	C25	13	1.77	6.87	3.67	5.76	0.33	301
KIDNEY	C64	10	1.36	5.28	4.82	5.29	0.46	216
CERVIX UTERI	C53	9	1.23	4.76	3.37	4.52	0.46	217
VULVA	C51	9	1.23	4.76	2.81	4.11	0.37	273
BRAIN	C71	9	1.23	4.76	3.9	4.76	0.43	233
HODGKIN'S	M965-966	6	0.82	3.17	2.76	3.04	0.22	456
OESOPHAGUS	C15	5	0.68	2.64	1.52	2.32	0.16	622
LIVER	C22	4	0.54	2.11	1.03	1.7	0.11	914

Table L continued.

Site	ICD-O	No.	% of new cases	Crude rate ¹	WASR ²	EASR ³	CR % ⁴	Odds, 1 in ⁵
UTERUS NOS	C55	4	0.54	2.11	1.62	2.19	0.19	525
RECTO-SIGMOID JNCT.	C19	3	0.41	1.59	1.19	1.78	0.18	542
ANUS	C21	3	0.41	1.59	1.06	1.48	0.11	928
GALL BLADDER	C23	3	0.41	1.59	0.84	1.35	0.05	1857
MAJOR SALIVARY GLANDS OTHER & NOS	C08	2	0.27	1.06	0.67	0.93	0.04	2394
NASOPHARYNX	C11	2	0.27	1.06	0.67	0.93	0.04	2394
BILIARY TRACT OTHER & NOS	C24	2	0.27	1.06	0.74	1.11	0.13	781
GIT OTHER, ILL-DEFINED	C26	2	0.27	1.06	0.79	0.98	0.1	1035
RENAL PELVIS	C65	2	0.27	1.06	0.81	1.03	0.07	1359
GUM	C03	1	0.14	0.53	0.29	0.43	0.07	1395
PAROTID GLAND	C07	1	0.14	0.53	0.17	0.34	0	-
SMALL INTESTINE	C17	1	0.14	0.53	0.45	0.68	0.06	1775
NASAL CAVITY, MIDDLE EAR	C30	1	0.14	0.53	0.43	0.5	0.04	2788
LARYNX	C32	1	0.14	0.53	0.21	0.41	0	-
THYMUS	C37	1	0.14	0.53	0.42	0.49	0.03	2852
PLEURA, HEART, MEDIASTINUM	C38	1	0.14	0.53	0.37	0.49	0.06	1624
BONES, JOINTS, ART. CART. OF OTHER & NOS	C41	1	0.14	0.53	0.64	0.5	0.04	2799
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49	1	0.14	0.53	0.17	0.34	0	-
VAGINA	C52	1	0.14	0.53	0.2	0.4	0	-
FEMALE GENITAL ORGANS OTHER & NOS	C57	1	0.14	0.53	0.17	0.34	0	-
EYE	C69	1	0.14	0.53	0.42	0.49	0.04	2852
ADRENAL	C74	1	0.14	0.53	1.01	0.67	0.04	2377
OTHER ILL-DEFINED	C76	1	0.14	0.53	0.17	0.68	0	-

¹ per 100,000 population⁴ Cumulative rate percent (0 - 74 years)² World age-standardised rate⁵ Lifetime risk prior to 75 years³ European age-standardised rate

Table M: Mortality/ Incidence Ratio, Percentage Death Certificate Only and Percentage Microscopically Verified by Site and Year

Site	ICD-O	Mortality: Incidence Ratio			Percentage Death Certificate Only			Percentage Microscopically Verified		
		1996	1997	1996-97	1996	1997	1996-97	1996	1997	1996-97
LIP	C00	0.1	0.0	0.1	0.0	0.0	0.0	85.7	50.0	72.7
TONGUE NOS	C02	0.3	0.3	0.3	0	0	0	100	100	100
GUM	C03	0	0	0	0	0	0	100	100	100
FLOOR OF MOUTH	C04	-	0	0	-	0	0	-	100	100
PALATE	C05	-	0	0	-	0	0	-	100	100
MOUTH NOS	C06	0.2	0.7	0.4	0	0	0	100	100	100
PAROTID GLAND	C07	0.5	0	0.2	0	0	0	100	100	100
MAJOR SALIVARY GLANDS OTHER & NOS	C08	-	0.5	0.5	-	0	0	-	100	100
TONSIL	C09	0	0	0	0	0	0	100	100	100
NASOPHARYNX	C11	1.5	0.3	0.7	0	0	0	100	100	100
PYRIFORM FOSSA	C12	-	0	0	-	0	0	-	100	100
OESOPHAGUS	C15	0.9	1.2	1	0	0	0	71.4	90	79.2
STOMACH	C16	1.1	0.8	1	13.5	1.8	7.5	81.8	82.7	82.2
SMALL INTESTINE	C17	0.1	0	0.1	0	0	0	100	100	100
COLON	C18	0.7	0.6	0.6	1.4	0	0.6	95.9	94.7	95.2
RECTO-SIGMOID JUNCT.	C19	0.1	0	0	0	0	0	100	88.9	95.2
RECTUM	C20	0.5	0.6	0.5	0	0	0	100	88.9	95.2
ANUS	C21	0	0.2	0.1	0	0	0	100	100	100
LIVER	C22	0.8	1	0.9	9.1	0	5	81.8	77.8	80
GALL BLADDER	C23	-	0.7	1	-	0	0	-	100	100
BILIARY TRACT OTHER & NOS	C24	0.3	1	0.7	33	0	16.7	33	100	83.3
PANCREAS	C25	1.3	1.4	1.3	0	0	0	20	39.4	31

Table M continued

Site	ICD-O	Mortality: Incidence Ratio			Percentage Death Certificate Only			Percentage Microscopically Verified		
		1996	1997	1996-97	1996	1997	1996-97	1996	1997	1996-97
GIT OTHER & ILL-DEFINED	C26	0.5	0	0.2	0	0	0	100	100	100
NASAL CAVITY, MIDDLE EAR	C30	0	0.3	0.2	0	0	0	100	100	100
LARYNX	C32	0.7	0.4	0.5	0	0	0	100	94.7	97.1
BRONCHUS, LUNG	C34	1.1	1	1.1	3.2	5.4	4.2	68.2	72.7	70.3
THYMUS	C37	0.5	0	0.3	0	0	0	100	100	100
PLEURA, HEART, MEDIASTINUM	C38	0.7	0.4	0.5	0	14.3	10	100	85.7	90
BONES, JOINTS, ART. CART. OF LIMBS	C40	0	0	0	0	0	0	100	100	100
BONES, JOINTS, ART. CART. OF OTHER & NOS	C41	3	1	2	0	0	0	100	100	100
MELANOMA	M872-879	0.1	0.2	0.1	0	0	0	100	100	100
ALL SKIN	C44	0	0	0	0	0	0	97.9	98.7	98.4
RETROPERITONEUM, PERITONEUM	C48	1	0	0.7	0	0	0	100	100	100
CONNECTIVE, SUBCUTANEOUS, SOFT TISSUES	C49	0.6	2.4	1.2	0	0	0	90.9	100	93.7
BREAST	C50	0.5	0.3	0.4	1.6	0	0.8	92.3	98.1	95.4
VULVA	C51	0.4	0.2	0.3	0	0	0	100	100	100
VAGINA	C52	0.5	0	0.3	0	0	0	100	100	100
CERVIX UTERI	C53	0.6	0.9	0.7	0	0	0	100	100	100
CORPUS UTERI	C54	0.2	0.2	0.2	0	0	0	100	100	100
UTERUS NOS	C55	2.5	1.2	1.9	25	0	12.5	75	100	87.5
OVARY	C56	0.8	0.6	0.7	5.9	4.2	5.2	88.2	91.7	89.6
FEMALE GENITAL ORGANS OTHER & NOS	C57	-	1	1	-	0	0	-	100	100
PENIS	C60	1.5	0	0.4	0	0	0	50	100	87.5
PROSTATE	C61	0.7	0.3	0.5	0	0	0	91.2	95.1	93.5

Table M continued.

Site	ICD-O	Mortality: Incidence Ratio			Percentage Death Certificate Only			Percentage Microscopically Verified		
		1996	1997	1996-97	1996	1997	1996-97	1996	1997	1996-97
TESTIS	C62	0.2	0	0.1	0	0	0	100	100	100
KIDNEY	C64	0.5	0.6	0.5	3.3	0	1.8	73.3	79.2	75.9
RENAL PELMS	C65	0	0.5	0.3	0	0	0	100	100	100
URETER	C66	0	-	0	0	-	0	100	-	100
BLADDER	C67	0.2	0.5	0.4	1.4	1.3	1.4	94.2	94.7	94.4
BRAIN	C71	0.8	0.7	0.8	4.5	9.5	7	63.6	76.2	69.8
SP. CORD, CRANIAL NERVES, OTHER CNS	C72	0	-	0	50	-	50	50	-	50
THYROID	C73	0	0.1	0	4.2	0	2	91.7	96.1	94
ADRENAL	C74	0.5	0.7	0.6	0	0	0	100	100	100
OTHER & ILL-DEFINED	C76	1	0.8	0.9	0	0	0	100	60	71.4
UNKNOWN PRIMARY SITE	C80	0.6	1	0.8	3.3	3.3	3.3	68.3	63.3	65.8
HODGKIN'S	M965-966	0.6	0.3	0.4	0	0	0	80	100	93.3
OTHER LYMPHOID	M959, 967-971	0.3	0.4	0.4	2	0	0.9	97.9	98.3	98.1
LEUKAEMIA	M980-994	0.5	0.5	0.5	0	0	0	100	100	100
MULTIPLE MYELOMA	M9732	0.4	0.2	0.2	10	0	2.5	70	80	77.5
ALL SITES		0.5	0.4	0.5	1.3	0.9	1.2	87.7	91.0	89.5