

Stomach Cancers

Index

Title	Page
Incidence of stomach cancers in males (2004-2014)	2
Incidence of stomach cancers in females (2004-2014)	3
Mortality from stomach cancers in males (2004-2014)	4
Mortality from stomach cancers in females (2004-2014)	5

Cancer of the stomach (ICD-10 C16)											
Maltese Islands: trends in incidence 2004-2014											
Number of new cases, with age standardised incidence rates, by age and year of cancer registration											
Males	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	1	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	1	0	0	0	0	0	0
35-39	0	0	0	0	2	0	0	1	0	1	0
40-44	0	1	0	0	0	1	1	0	0	0	0
45-49	0	1	1	1	1	0	1	2	2	0	1
50-54	1	2	0	0	1	0	2	3	0	0	0
55-59	6	3	2	4	1	3	4	2	2	5	2
60-64	0	3	2	4	4	2	6	4	5	6	0
65-69	5	1	4	2	6	10	6	4	4	8	8
70-74	6	4	3	7	7	8	7	9	6	4	7
75-79	9	3	6	6	6	6	3	7	4	7	2
80-84	2	6	6	6	2	6	2	3	8	5	5
85+	1	4	2	2	7	5	3	3	1	6	7
All Ages	30	29	26	32	38	41	35	38	32	42	32
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	6.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	6.42	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	15.01	0.00	0.00	6.86	0.00	6.48	0.00
40-44	0.00	7.03	0.00	0.00	0.00	7.98	8.11	0.00	0.00	0.00	0.00
45-49	0.00	6.56	6.55	6.57	6.64	0.00	6.99	14.45	15.04	0.00	7.83
50-54	6.87	13.85	0.00	0.00	6.64	0.00	13.18	19.65	0.00	0.00	0.00
55-59	40.28	19.90	13.05	26.42	6.76	20.86	28.16	13.74	13.50	33.20	13.14
60-64	0.00	30.45	17.85	31.60	28.57	13.77	40.64	26.43	33.56	41.17	0.00
65-69	62.77	12.36	48.64	25.20	77.12	120.69	63.97	36.58	32.12	58.11	55.75
70-74	101.9	65.93	45.95	102.64	98.73	108.75	93.02	120.5	83.61	55.79	89.23
75-79	210.8	70.21	135.29	131.72	126.96	123.03	58.84	128.7	69.44	116.0	31.73
80-84	75.56	221.5	207.61	205.34	66.98	199.40	65.55	94.97	247.3	147.3	139.0
85+	66.49	241.4	124.77	116.41	389.32	267.81	150.3	137.8	44.64	259.1	288.6
Crude rate	15.09	14.49	12.89	15.73	18.53	20.88	16.91	18.33	15.32	19.89	14.98
- lower 95% CI	10.36	9.89	8.59	10.94	13.30	15.18	11.96	13.16	10.66	14.52	10.42
- upper 95% CI	21.83	21.11	19.18	22.50	25.72	28.61	23.80	25.44	21.91	27.16	21.42
EASR *	14.10	13.59	11.49	13.56	17.41	17.72	14.39	15.00	11.64	14.89	11.15
- lower 95% CI	13.60	13.09	11.04	13.09	16.85	17.17	13.91	14.52	11.23	14.43	10.76
- upper 95% CI	14.61	14.09	11.93	14.04	17.97	18.27	14.87	15.48	12.05	15.34	11.55
WASR **	8.70	8.73	7.02	8.45	11.27	11.23	9.76	9.83	7.58	9.42	6.91
- lower 95% CI	8.38	8.40	6.74	8.15	10.90	10.87	9.43	9.57	7.30	9.12	6.66
- upper 95% CI	9.01	9.06	7.30	8.75	11.64	11.58	10.09	10.15	7.85	9.71	7.16
* EASR = Age-standardised rates using European Standard Population/ 100,000											
** WASR = Age-standardised rates using World Standard Population/ 100,000											
Source: Malta National Cancer Registry, Department of Health Information, Malta											
Data extracted: July 2016											

Cancer of the stomach (ICD-10 C16)											
Maltese Islands: trends in incidence 2004-2014											
Number of new cases, with age standardised incidence rates, by age and year of cancer registration											
Females	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	1	0	0	0	1
35-39	1	0	0	1	1	0	0	1	1	0	0
40-44	0	0	0	0	0	0	0	0	0	0	0
45-49	2	1	0	0	0	1	0	1	0	2	0
50-54	2	1	1	2	1	1	0	1	1	0	0
55-59	2	1	0	4	4	1	0	0	2	1	0
60-64	0	3	1	0	1	2	3	3	3	4	0
65-69	0	3	3	1	5	3	4	1	5	3	7
70-74	2	3	3	0	3	4	3	1	3	3	2
75-79	6	4	3	7	4	1	2	2	2	3	5
80-84	4	3	0	2	5	3	3	2	5	6	1
85+	3	2	3	3	2	4	0	5	3	5	7
All Ages	22	21	14	20	26	20	16	17	25	27	23
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	6.75	0.00	0.00	0.00	6.60
35-39	8.25	0.00	0.00	8.10	7.93	0.00	0.00	7.23	7.07	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-49	13.40	6.61	0.00	0.00	0.00	6.98	0.00	7.39	0.00	15.72	0.00
50-54	13.79	6.95	6.92	13.72	6.77	6.70	0.00	6.52	6.58	0.00	0.00
55-59	12.95	6.46	0.00	26.34	26.98	6.89	0.00	0.00	13.6	6.71	0.00
60-64	0.00	28.19	8.42	0.00	6.80	13.18	19.6	19.36	19.7	26.99	0.00
65-69	0.00	31.79	31.91	11.05	56.41	32.03	38.3	8.47	37.3	20.36	45.92
70-74	24.72	36.53	35.05	0.00	33.91	44.55	32.9	11.25	35.2	35.56	22.01
75-79	98.31	64.68	45.61	102.90	56.45	13.64	26.6	26.07	25.5	37.67	61.46
80-84	95.28	69.35	0.00	42.73	103.86	61.78	60.2	38.29	91.7	104.9	16.78
85+	106.82	66.36	96.68	90.44	57.06	107.35	0.00	117.4	67.6	108.0	145.4
Crude rate	10.87	10.32	6.84	9.72	12.56	10.02	7.65	8.12	11.8	12.72	10.73
- lower 95% CI	6.98	6.56	3.89	6.10	8.38	6.29	4.53	4.88	7.85	8.55	7.00
- upper 95% CI	16.75	16.08	11.79	15.31	18.69	15.79	12.7	13.29	17.8	18.79	16.46
EASR *	7.99	7.77	5.11	6.94	9.00	6.61	5.11	5.20	7.41	7.62	5.81
- lower 95% CI	7.64	7.43	4.84	6.63	8.64	6.31	4.85	4.94	7.11	7.31	5.57
- upper 95% CI	8.33	8.10	5.38	7.25	9.36	6.91	5.37	5.46	7.72	7.92	6.05
WASR **	4.99	5.14	3.28	4.25	5.90	4.39	3.57	3.50	4.96	5.05	3.64
- lower 95% CI	4.77	4.90	3.10	4.05	5.66	4.18	3.38	3.31	4.75	4.84	3.48
- upper 95% CI	5.22	5.38	3.46	4.46	6.15	4.60	3.75	3.68	5.18	5.27	3.80
* EASR = Age-standardised rates using European Standard Population/ 100,000											
** WASR = Age-standardised rates using World Standard Population/ 100,000											
Source: Malta National Cancer Registry, Department of Health Information, Malta											
Data extracted: July 2016											

Cancer of the stomach (ICD-10 C16)											
Residents of the Maltese Islands: trends in mortality 2004-2014											
Number of deaths attributed to stomach cancer, with age standardised mortality rates, by age and year of death											
	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Males											
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	1	0	0	0	0	0	0	0	0
35-39	0	0	0	0	0	0	0	1	1	0	0
40-44	0	0	1	0	0	1	0	1	0	0	0
45-49	0	0	1	0	2	0	0	0	2	1	1
50-54	1	1	1	0	0	0	0	1	0	3	0
55-59	2	5	1	2	1	1	3	0	2	1	3
60-64	1	1	3	1	5	2	1	3	2	2	4
65-69	4	5	1	3	2	6	5	8	3	6	3
70-74	5	4	3	5	4	8	6	5	3	6	5
75-79	6	2	2	5	6	7	2	7	4	5	4
80-84	4	2	4	4	6	4	2	4	3	4	4
85+	4	3	4	3	6	5	3	3	5	3	3
All Ages	27	23	22	23	32	34	22	33	25	31	27
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	6.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.88	6.68	0.00	0.00
40-44	0.00	0.00	7.14	0.00	0.00	7.98	0.00	7.83	0.00	0.00	0.00
45-49	0.00	0.00	6.56	0.00	13.28	0.00	0.00	0.00	15.04	7.73	7.83
50-54	6.87	6.93	6.95	0.00	0.00	0.00	0.00	6.55	0.00	20.03	0.00
55-59	13.43	33.17	6.59	13.21	6.76	6.95	21.12	0.00	13.50	6.64	19.71
60-64	11.43	10.15	28.79	7.90	35.71	13.77	6.77	19.82	13.42	13.72	27.88
65-69	50.22	61.82	12.42	37.79	25.71	72.41	53.31	73.19	24.09	43.58	20.90
70-74	84.96	65.93	48.77	73.31	56.42	108.75	79.73	67.06	41.81	83.67	63.73
75-79	140.5	46.81	46.50	109.77	126.96	143.53	39.22	128.7	69.44	82.89	63.43
80-84	151.1	73.86	148.1	136.89	200.94	132.93	65.55	127.0	92.76	117.7	111.1
85+	265.9	181.0	227.0	174.62	333.70	267.81	150.38	139.2	223.2	129.2	123.4
Crude rate	13.58	11.49	10.97	11.31	15.61	16.53	10.63	15.94	11.97	14.68	12.64
- lower 95% CI	9.13	7.46	7.04	7.34	10.86	11.63	6.83	11.15	7.92	10.15	8.5
- upper 95% CI	18.39	17.55	16.90	17.26	22.32	23.38	16.39	22.66	17.96	21.11	18.67
EASR *	13.40	10.92	10.40	10.21	13.73	14.7	9.07	12.66	9.77	11.41	9.49
- lower 95% CI	12.88	10.47	9.97	9.79	13.24	14.2	8.69	12.22	9.38	11.00	9.12
- upper 95% CI	13.91	11.37	10.84	10.63	14.21	15.2	9.46	13.09	10.16	11.82	9.85
WASR **	8.03	6.99	6.69	6.10	8.34	9.09	5.78	8.16	6.21	7.32	6.08
- lower 95% CI	7.72	6.70	6.40	5.84	8.04	8.78	5.54	7.87	5.96	7.05	5.84
- upper 95% CI	8.35	7.29	6.98	6.36	8.64	9.41	6.03	8.45	6.47	7.59	6.32
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: National Mortality Registry, Department of Health Information, Malta											
Data extracted: July 2016											

Cancer of the stomach (ICD-10 C16)											
Residents of the Maltese Islands: trends in mortality 2004-2014											
Number of deaths attributed to stomach cancer, with age standardised mortality rates, by age and year of death											
	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Females											
Under 5	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	0	0	1
35-39	1	0	0	1	1	0	0	1	0	0	0
40-44	0	0	0	0	0	0	0	0	0	0	0
45-49	1	0	1	0	0	0	1	0	0	1	0
50-54	1	0	1	0	0	0	0	0	0	0	0
55-59	0	2	1	0	0	1	0	1	1	1	0
60-64	1	2	1	1	2	3	0	4	1	0	1
65-69	0	1	3	1	1	1	0	1	2	1	2
70-74	1	2	1	1	3	0	1	1	2	3	1
75-79	3	1	2	4	2	0	3	4	4	2	3
80-84	3	4	0	3	5	1	3	2	3	3	3
85+	5	3	3	2	0	4	1	3	4	4	3
All Ages	16	15	13	13	14	10	9	17	17	15	14
<i>Rates per 100,000</i>											
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.60
35-39	8.25	0.00	0.00	8.10	7.93	0.00	0.00	7.24	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-49	6.70	0.00	6.58	0.00	0.00	0.00	7.23	0.00	0.00	7.86	0.00
50-54	6.89	0.00	6.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
55-59	0.00	12.93	6.47	0.00	0.00	6.89	0.00	6.89	6.81	6.71	0.00
60-64	10.44	18.80	8.94	7.49	13.60	19.77	0.00	25.82	6.58	0.00	6.87
65-69	0.00	10.60	32.00	11.05	11.28	10.68	0.00	8.47	14.94	6.79	13.12
70-74	12.36	24.35	12.08	11.48	33.91	0.00	11.00	11.26	23.47	35.56	11.00
75-79	49.16	16.17	31.84	58.80	28.22	0.00	39.94	52.14	51.09	25.11	36.87
80-84	71.46	92.46	0.00	64.09	103.86	20.59	60.28	38.34	55.04	52.48	50.32
85+	178.03	99.54	95.57	60.30	0.00	107.35	24.96	71.02	90.25	86.34	62.24
Crude rate	7.90	7.37	6.38	6.32	6.76	4.82	4.31	8.12	8.07	7.07	6.55
- lower 95% CI	4.68	4.28	3.55	3.51	3.85	2.45	2.10	4.89	4.86	4.11	3.73
- upper 95% CI	13.15	12.47	11.23	11.12	11.66	9.18	8.50	13.31	13.21	11.95	11.28
EASR *	5.90	5.11	5.02	4.15	4.31	3.11	2.49	5.02	4.51	4.18	3.52
- lower 95% CI	5.60	4.85	4.74	3.91	4.07	2.91	2.32	4.78	4.29	3.96	3.33
- upper 95% CI	6.20	5.38	5.30	4.38	4.54	3.31	2.66	5.27	4.73	4.41	3.72
WASR **	3.65	3.20	3.36	2.56	2.84	2.03	1.48	3.29	2.69	2.60	2.22
- lower 95% CI	3.45	3.02	3.17	2.40	2.67	1.89	1.37	3.12	2.55	2.45	2.08
- upper 95% CI	3.85	3.37	3.55	2.72	3.01	2.16	1.59	3.46	2.83	2.75	2.35
* EASR = Age-standardised rates using European Standard Population/ 100,000 population											
** WASR = Age-standardised rates using World Standard Population/ 100,000 population											
Source: National Mortality Registry, Department of Health Information, Malta											
Data extracted: July 2016											

